

**NORTHEAST
BEGINNERS
FUNGI CHECKLIST**

Compiled by Dianna Smith

Date _____
LOCATION _____

**BIRD'S NESTS &
Fiber Fans**

CRUCIBULUM (Boletus)
____ laeve (orange-yellow)
CYATHUS (Birds' Nest)
____ steccoreus (blk peridioles)
____ striatus (striate interior)

BOLETE-LIKE sponge-pored

AUREOBOLETUS (Boletus)
____ auriporus
____ innixus
____ roxanae
____ russellii (red reticulation, lemon)

AUSTROBOLETUS
____ gracilis var. gracilis

BAORANGIA (BOLETUS)
____ bicolor

BOLETELLUS
____ chrysenteroides (brn-blk wood)

BOLETINELLUS (Gyrodont)
____ meruloides

BOLETUS
____ sp.
____ atkinsonii* (yfl-brn wkt, brn net)
____ auripes

.....bicolor (See BAORANGIA)

____ gertrudiae (yflw apex)
____ huronensis (hemlock)
____ longicurvipes
____ miniato-olivaceus
____ miniato-pallescens (drk red pores)

____ nobilis* (pitted cap, wt stipe)
____ nobilissimus*
____ pallidus (pl blue stain)
____ sensibilis
____ separans*
____ speciosus
____ subfraternus
____ subtomentosus
____ subvelutipes
____ variipes* (buff, tan stipe)
____ vermiculosoides
____ vermiculosus (darker)

BOTHIA
____ castanellus (apex reticulate)

BUCKWALDOBOLETUS
____ lignicola

BUTYRIBOLETUS (Boletus)
____ brunneus (speciosus var. brunneus)
____ peckii
____ roseopurpureus

CALOBOLETUS (Boletus)
____ calopus
____ inedulis
____ roseipes

CHALCIPORUS
____ piperatoides
____ piperatus
____ rubinellus
____ pseudorubinellus

CYANOBOLETUS
____ pulverulentus
EXSUDOPORUS (Boletus)
____ frostii

GYROPORUS
____ castaneus
____ cyanescens
____ cyanescens v. violatinctus
____ purpurinus

HARRYA (Lecc., Tyloplitus)
____ chromapes

HEMILECCINUM (Lecc., Boletus)
____ subglabripes

HORTIBOLETUS (Boletus)
____ campestris
____ rubellus (fraternus)

HYGROPHOROPSIS (Re: Boletes)
____ aurantiaca

IMLERIA (Boletus, Xerocomus)
____ badia

LANMAOA (Boletus)
____ pseudosensibilis

LECCINELLUM (Leccinum)
____ albellum (whitish)

LECCINUM
____ sp.
____ holopus (green base)
____ insigne
____ rubropunctum (Boletus)
____ rugosiceps
____ scabrum
____ snellii (red above, green base)
____ versipelle (atrostipitatum)
____ vulpinum (aurantiacum)

PHYLLOPORUS (Gilled Bolete)
____ leucomycelinus
____ rhodoxanthus

PULVEROBOLETUS
____ ravenelii

RETIBOLETUS (Boletus)
____ griseus
____ ornatipes

STROBILOMYCES
____ confusus
____ strobilaceus (floccosus)

SUILLUS
____ sp.
____ acidus (white cap)
____ americanus (red marks)
____ granulatus (or lactifluus)
____ grevillei (rd-brn; under Larch)
____ luteus (rd-brn; lilac veil)

.....pictus (See S. spraguei)
____ placidus (white; dots; sly pink)
____ spraguei (pictus)

SUTORIUS (Tyloplitus)
____ eximius
TYLOPLIUS
____ sp.
____ alboater (black)
____ badiceps (maroon-brown, mild)

____ ballouii (orange cap)
____ felleus (Brown reticulation)
____ ferrugineus (red-brown, mild)
____ plumbeoviolaceus (bitter)
____ rubrobrunneus (bitter)
____ variobrunneus (mild, pores brwn)

____ violatinctus
XANTHOCONIUM (Boletus)
____ affine
____ purpureum

XEROCOMELLUS (Boletus)
____ chrysenteron (pink cracks)

XEROCOMUS (Boletus)
____ hortonii (bumpy, wrinkled)
____ illudens
____ morrisii (red dots stem)
____ tenax

CANTHARELLOID

CANTHARELLUS
____ appalachiensis
____ cibarius
____ cinnabarinus
____ lateritius
____ minor

CRATERELLUS
____ cinereus
____ fallax
____ ignicolor (conifers, sw brwn)
____ lutescens (all yellow)
____ tubaeformis (brown-gray cap)

GOMPHUS
____ clavatus (violet chanterelle)

TURBINELLUS (GOMPHUS)
____ floccosus
____ kaufmanii
____ sparassis (Cauliflower)
____ americana (conifers)
____ crispa
____ spathulata

**CLUBS & EARTH
TONGUES**

CLAVARIADELPHUS
____ americanus (myc.oak, pine)
____ pistillarlis (myc.with beech)
____ truncatus

**CLUSTERED
CORALS**

**CAULIFLOWERS
FIBER FANS**
ARTOMYCES (CLAVICORONA)
____ pyxidatus

CLAVARIA
____ fragilis (vermicularis)
____ fumosa
____ zollingeri

CLAVULINA
____ cinerea
____ coraloides (cristata)
CLAVULINOPSIS
____ aurantiocinnabarinus
____ corniculata (org. brnch at top)
____ fusiformis
____ helvola
____ laeticolor (yellow-orange)

RAMARIA
____ sp.
____ aurea (yflw, blunt crown-tips)
____ botrytis (pink tips)
____ formosa (orange, yfl tips, toxic)
____ fumigata (fennica)prpl, yflw tips

____ stricta
RAMARIOPSIS
____ kunzei (white)
SEBACINA (TREMELLODENDRON)
____ incrustans
____ schweinitzii

THELEPHORA
____ terrestris
____ vialis
TREMELLODENDRON (Jelly)
.....schweinitzii (See SEBACINA)

GILLED FUNGI:

PALE spores
AMANITA
____ sp.
____ abrupta (Lepidella)
____ atkinsoniana (reddish warts)
____ banningiana (yellow caesar)
____ bisporigera
____ brunnescens (cleft foot)
____ canescens
____ cecelliae group
____ crenulata
____ elongata (yflw cap, wht sp)
____ farinosa (Powder cap)
____ flavoconia
____ flavorubens
____ fulva
____ jacksonii
____ lavendula (citrina)
____ multisquamosa
____ muscaria v. guessowii
____ onusta (grey warts)
.....pantherina (See velatipes)

____ peckiana
____ phalloides
____ rhopalopus (wht w/ brown warts, chlorine, frag ring)

____ rubescens complex
____ rubescens var. alba
____ spreta (streaked)
____ subcokeri (PN)
____ submaculata
____ vaginata complex

____ velatipes (lrg, yfl cntr brn)
____ virginiana (small)
____ volvata complex

AMPULLOCLITOCYBE (CLITOCYBE)
____ clavipes
ARMILLARIA
____ gallica (alone or gregarious, cobwebby veil, on soil, rhizomorphs, hairy)
____ mellea (honey color, clustered, thick ring, pointed base)
____ solidipes (ostoyae) (conifers, brwn, caespitose, brwn ring)
____ sinapina (yflw cob-web veil and remnants on cap & stipe)
.....tabescens (See DESARMILLARIA)

ASTEROPHORA (on R. dissimulans, nigricans)
____ lycoperdoides
____ parasitica

CANTHARELLUA (Ground)
____ umbonata (grey)

CHEIMONOPHYLLUM
____ candissimum (white sp)
CHLOROPHYLLUM (LEPIOTA)
____ molybdites (green spores)
____ rachodes

CHROMOSERA
____ cyanophylla (lavender gills, c.)

CLITOCYBE
____ sp.
____ americana
____ candicans
.....clavipes (See AMPULLOCLITOCYBE)

____ gibba
____ odora (green)
____ robusta
____ subconnexa

CLITOCYBULA (on wood)
____ abundans
____ familia
____ oculata

CLITOPILUS (pink spores)
____ prunulus
COLLYBIA
____ cirrhata (no sclerotia)
____ cookei (round yflw sclerotia)
____ tuberosa (red-brown elliptical)

CONNOPUS (Gymnopus)
____ acervatus (red/brn on conifer)
CUPHOPHYLLUS (Camarophyllus, Hygrophorus)
____ praetensis
____ virgineus (white)

CYPTOTRAMA (on dead wood)
____ asprata (tiny, brt yflw, scruffy)
CYSTODERMA (ground, conifers)
____ amianthinum (c., wrinkled cap)
____ cinnabarina (c.)

DESARMILLARIA (ARMILLARIA)
____ tabescens (no veil)
ENTOLOMA
____ sp.
____ abortivum
____ bicolor (caramel cap, wt gls, stm)

____ conicum
____ lividum (pl gry, yll gills)
____ luteus (ochre-yflw)
____ murrayi (yellow)

____ quadratum (orange)
____ salmoneum (syn. quadratum)
____ serrulatum (blu-blk gill edge)
____ strictus
____ umbonatum (umbo)
____ unicolor (yfl-orange, umbilic)
____ vernalis (verna)

FLAMMULINA (on hardwood)
____ velutipes
GERRONEMA (on dead wood)
____ strombodes

GLIOPHORUS (HYGROCYBE)
____ irrigatus (blk-brn, lng stm)
____ laetus (yl-ong, wt, yl)
____ psittacinus

GLOIOXANTHOMYCES (HYGROCYBE)
____ nitidus (H. nitida)
____ vitellina

GYMNOPUS (COLLYBIA)
____ acervatus (See CONNOPUS)
____ androsaceus (br, blk stm)
____ biformis
____ confluens (fades, clstr on wood)
____ dichrous (on sticks)
____ dryophilus

____ spongiosus (hairy swll stem)
____ subnudus (on oak leaves)
HOHENBUEHELIA
____ petalooides (wood chips)

HUMIDICUTIS (Hygrocybe, Hygrophorus)
____ marginata v. concolor (yl gls)
____ robusta
____ marginata v. marginata (orig)
____ marginata var. olivacea

HYGROCYBE (waxy cap)
____ sp.
____ appalachiensis (rd, yl decurrent gills, red-orig stm)
____ cantharellus (rd, yl, rd)
____ chlorophana (yellow, dry)

____ coccinea
____ conica (cone red cap blackns)
____ cuspidata (cone red, rd stm)
____ flavescens (yellow, tacky)
____ miniata (red, yl, rd)
____ parvula (yflw cp, red-org stm)
____ punicea

HYGROPHORUS (waxy cap)
____ camarophyllus
____ eburneus (white)
____ flavodiscus (vsd yl, yl, yl)
____ fulvigenus (slimy, brwn, wt, wt)
____ russula
.....virgineus (white) (See CUPHOPHYLLUS)

HYMENOPELLIS (Xerula)
____ furfuracea
____ megalospora (no dark hairs)
____ rubrorubescens

HYPISIZYGUS

____ marmoreus (tessulatus)
____ ulmarius (elm or box elder)

LACCARIA (pink spores)
____ sp.
____ amethystina (oak, beech)
____ bicolor (purple gills, bs, conifer)
____ laccata (rd-brwn, no lines, hw)
____ longipes (moss, spruce or larch)

____ ohiensis (strongly lined)
____ padillidifolia
____ ochropurpurea
____ trullissata (purple gills, in sand)

LACTARIUS
____ sp.
____ atroviridis
____ argillaceifolius (gray)
____ camphoratus (maple syrup)
____ chelidonium
____ chrysorheus

____ cinereus
____ cinereus var. fagetorum
____ corrugis
____ croceus
.....deceptivus (See LACTIFLUUS)

____ deterrimus
____ gerardii
____ glaucescens (blu-grn milk)
____ griseus (hairy drk center)
____ helvus (aquifolus) (maple sryp)

.....hygrophoroides (See LACTIFLUUS)
____ indigo
____ lignyotus
____ mucidus (tan-brwn, slimy)
____ peckii
____ piperatus
____ quietus var. incanus
____ rimosellus (cracked)

____ sordidus
____ subpurpureus
____ thynos (orange)
____ vinaceorufescens (conifers)
____ uvidus

.....volemus (See LACTIFLUUS)
LACTIFLUUS (Lactarius)
____ deceptivus (Inrolled margin)
____ hygrophoroides
____ luteolus (stains gills dark)
____ subvellereus
____ subvellereus v. subdistans

____ volemus
LENTINELLUS
____ cochleatus
____ ursinus (hairy)
____ vulpinus

LENTINUS (Re: Polypores)
____ levis (white, yellows, hairy, no veil)
____ tigrinus (wet river wood, innie)

LEPIOTA
____ cristata
LEPISTA (CLITOCYBE)
____ irina
____ nuda

____subconnexa
LEUCOAGARICUS (LEPIOTA)
____americanus
____rubrotinctus
LEUCOCOPRINUS (LEPIOTA)
____birnbaumii
____cepaestipes
LEUCOPHOLIOTA
____decorosa (on dead hardwood)
LEUCOPAXILLUS
____albissimus (decrnt gills, conifer)
____giganteus
LYOPHYLLUM (Clitocybe)
____connatum (white)
____decastes (brown)
MACROLEPIOTA (Lepiota)
____procera
MARASMIUS
____sp.
____capillaris (on oak leaves)
____cohaerans (clstrd, rd-brn, litter)
____nigrodiscus (forest floor)
____oreades (in lawn)
____rotula (dead wood, twigs)
____siccus (orng, litter, wood)
____strictipes (on leaf litter)
MEGACOLLYBIA (on wood)
____rodmani (platyphylla)
MYCENA
____sp.
____alcalina (conifer wood)
____atkinsoniana (Yllw-orng liquid)
____galericulata
____haematopus (on dead wood)
____inclinata (Mrgnl teeth)
____leaiana (orange)
____pura 'group'
____subcaerulea (ble-tan, hrdwd)
NEOLENTINUS (on dead conifer)
____lepideus (dkr scales, innie, ring)
OMPHALINA
____chrysophylla (brn-yll, conifer)
OMPHALOTUS
____illudens (orng, cluster, wood)
PANELLUS (Re: *Mycena*)
____serotinus
____stipticus
PANUS (Re: *Polyporales*)
____conchatus (pink-lavender)
____neostrigosus
PHYLLOTOPSIS
____nidulans
PLEUROCYBELLA
____porrigens
PLEUROTUS
____dryinus (veil cap edge & stipe)
____ostreatus (winter)
____populinus (on aspen)
____pulmonarius (summer)
PLICATUROPSIS
____crispa
PLUTEUS (pink spores, free gills)
____sp.
____americanus (*salcinus*)
____cervinus

____leoninus
____petasatus
PSEUDOCLITOCYBE (CLITOCYBE)
____cyathiformis
RHIZOMARASMIUS (orng-brn cp)
____pyrrhocephalus (hairy drk stem)
RHODOCOLLYBIA (COLLYBIA)
____butyracea (saw-tooth gills)
____lentinoides (saw-tooth gills)
____maculata (spotted cap & gills)
RICKENELLA
____fibula (orng-yellow in moss)
RUSSULA
____sp.
____aeruginea
____albonigra
____atropurpurea
____betula
____brevipes
____brunneola
____brunneoviolacea
____claroflava
____compacta
____crustosa
____cyanoxantha
____decolorans
____densifolia
____dissimulans
____emetica group
____flavida (yellow stem)
____fragrantissima
____grata (*laurocerasi*)
____heterophylla
____lutea (yellow gills)
____mariae
____modesta
____mutabilis (brown)
____ochroleuroides
____parvovirescens
____peckii (red cap & stem)
____pectinatoides
____pusilla (tiny red)
____pulchra (dual red. cracks, stm rd)
____redolens (parsley)
____rubescens (blackens)
____sanguinea (red cap & stem)
____silvicola
____subgraminicolor (green)
____subpuncta (red, white center)
____variata (forked gills)
____vinacea (*atropurpurea*) (spring-early summer)
____virescens
____xeramphalina (fishy)
TECTELLA
____patellaris (on hardwood)
TETRAPYROGUS (*Marasmius*)
____nigripes (h. leaves, twigs)
TRICHOLOMA (on ground)
____aurantium
____caligatum (h.)
____flavovirens/equestre (c.)
____fumosoluteum (smoky yllw)
____imbricatum

____magnivelare (c.)
____myomyces
____pullum (dk gray, gills pinksh)
____saponacea (c.)
____sejunctum
____suspensoides
____virgatum (gray, streaked)
TRICHOLOMOPSIS
____decora (c. black hairs)
____dutilans (c. red dots)
____sulphurioides (c. yellow)
VOLVARIA (pink spores)
____bombycina
XEROMPHALINA
____campanella (c.)
____kaufmanii (h.)
XERULA (See *HYMENOPELLIS*)
GILLED FUNGI:
DARK spores
AGARICUS
____abruptibulbus
____arvensis
____bisporus
____bitorquis
____campestris
____placomycetes
____silvaticus
____silvicola
AGROCYBE (on dead wood)
____acericola
____molesta (*dura*)
____pediades
____praecox
CONOCYBE
____apala (*lactea*)
COPRINELLUS (COPRINUS)
____disseminatus
____micaceus
COPRINOPSIS (COPRINUS)
____atramentaria
____lagopus
____variiegata
COPRINUS
____comatus
CORTINARIUS (rust spores)
____sp.
____alboviolaceus
____armillatus (bracelet)
____bolaris
____camphoratus (prpl flesh 7 gills, conifers)
____caperatus
____collinitus
____corrugatus
____distantis
____evermius
____iodes
____limoneus
____luteus
____marylandensis
____privignoides (brn cp)
____pulchriofolius (purple gills)
____pyriodorius (pear odor)
____rubellus

____sanguineus (red cap & gills)
____semisanguineus
____squamosulus
____torvus
____traganus (goat odr, pl prpl, flesh & gills are brown, conifers)
____violaceus (dkr prpl)
CREPIDOTUS (brown sp)
____sp.
____applanatus
____cinnabarinus
____crocophyllus (hairy, org gills)
____malachius
____mollis (scabrous, yllw gills)
GALERINA
____marginata (*autumnalis*)
GOMPHIDIUS
____glutinosus
____maculatus
GYMNOPILUS (on dead wood)
____junonius (clusters, hrdwd & con)
____luteus (yellow, hardwoods)
____luteofolius (confrs, clustered)
____penetrans (conifers)
____sapineus (conifers)
HEBELOMA
____sp.
____crustuliniforme
HEMISTROPHARIA (Pholiota)
____albocrenulata
HYPHOLOMA
____fasiculare (yellow, hrdwd)
____lateritium (*sublateritium*)(hrdwd)
INOCYBE
____sp.
____calamistrata
____geophylla (white)
____liacina
____rimosa (*fastigiata*)
____tahquamenonensis
LACRYMARIA (*Psathyrella*)
____lachrymabunda
LERATIOMYCES (STROPHARIA)
____thraustus
PANEOLINA (PANAEOLUS)
____foenisecii (lawns)
PARASOLA (COPRINUS)
____plicatilis
PAXILLUS (Re: Boletales)
____corrugatus (See *TAPINELLA*)
____bolaris
____involutus
____panioides (See *TAPINELLA*)
PHOLIOTA (on trees, dead wood)
____aurivella
____squarrosoides
____squarrosa
PSATHYRELLA
____sp.
____candolleana
____delineata/rugocephala
____hydrophila
RESUPINATUS
____applanatus
SCHIZOPHYLLUM
____commune

STROPHARIA
____aeruginosa (green)
____hardii (c.)
____rugosoannulata
TAPINELLA (PAXILLUS)
____atrotomentosa (c.)
____corrugata
____panuoides (c.)
TUBERIA (warm brwn, small)
____confragosa (ring, wood chips)
____furfuracea (no ring, wood chips)
JELLY-LIKE
AURICULARIA
____americana (*auricularia*) conifer)
____angiospermarum (hardwood)
BULGARIA (Asco)
____inquinans
CALOCERA
____comea
____viscosa
DACRYMYCES
____chrysozpermus (*palmatus*)
____stillatus
DUCTIFERA
____pululahuana
DACROPINAX
____spathularia
EXIDIA
____glandulosa
____nigricans
____nucleata (See *MYXARIUM*)
____recisa
GUEPINIOPSIS
____alpina
MYXARIUM Re: Auriculariales (*Exidia*)
____nucleatum
PHLOGIOTIS
____helvelloides
PSEUDOHYDNUM
____gelatinosum
SYZYGOSORA
____mycetophila (on *Gymnopus dryophilus*)
TREMELLA
____aurantia (*Stereum hirsutum* parasite)
____foliacea
____mesenterica
POLYPORES, CRUSTS, STEREUMS
ABORTIPORUS
____biennis
ALBATRELLUS (Re: Russulas)
____caeruleoporus (See *NEOALBATRELLUS*)
____confluens
____cristatus
____ovinus
BJERKANDERA
____adusta
____fumosa

BONDARZEWIA (Re: Russulas)
____berkeleyi
BYSSOMERULIUS (*Phlebia*)
____incarnata
CERIPORIA
____spissa
CERIOPORUS (*Polyporus*)
____leptocephalus (*elegans*) lg stm
____squamosus
____varius
CERRENA
____unicolor (algae, toothy gills)
CLIMACOCYSTIS (hemlock)
____borealis
CLIMACODON
____septentrionalis
COLTRICA
____cinnamomea
____montagnei
____perennis
CRYPTOPORUS
____volvatus
DAEDALEA
____quercina (large maze, oak)
DAEDALEOPSIS
____confragosa
____septentrionalis
FOMES
____fomentarius
FOMITOPSIS
____betulinus (*PIPTOPORUS*)
____cajanderi (See *RHODOFOMES*)
____ochracea
____pinicola
____rosea (See *RHODOFOMES*)
____spraguei (See *NIVEOPOROFOMES*)
GANODERMA
____curtisii
____megaloma (*applanatum*)
____sessile (*lucidum*)
____tsugae
GELATOPORIA (GLOEOPORUS)
____dichroa (*dichrous*)
GLOBIFOMES
____graveolens
GLOEOPHYLLUM
____sepium
GRIFOLA
____frondosa
HAPILOPILUS
____nidulans
HYMENOCHAETE
____corrugata (agglutinans)
____rubiginosa
____tabacina (See *HYMENOCHAETOPSIS*)
____olivacea (*Hydrochaete*)
____tabacina (caps red-brn hairs)
INONOTUS RE: (*Hymenochaetales*)
____dryadeus (See *PSEUDOINONOTUS*)
____obliquus
____radiatus (See *XANTHOPORIA*)

____tomentosus (See *ONNIA*)
ISCHNODERMA
____resinosum
IRPEX
____lacteus
LAETIOPORUS
____cinninatus (white pores)
____sulphureus (brt yellow pores)
LENZITES
____betulina (org-brwn, gray gills)
LENTINUS
____arcularius (*Polyporus*)
____brumalis (*Polyporus*)
____lepideus (See *NEOLENTINUS*)
____levis (gilled poly)
____strigosus (See *PANUS*)
MERIPILUS
____sumsteinei (*gigantea*)
MERULIUS (See *PHLEBIA*)
____tremellosus
NEOALBATRELLUS (*Albatrellus*)
____caeruleoporus
NEOFAVOLUS (*FAVOLUS*)
____alveolaris
NEOLENTINUS (LENTINUS)
____lepideus
NIVEOPOROFOMES (FOMITOPSIS)
____spraguei
ONNIA (INONOTUS)
____tomentosa (pine)
OXYPORUS
____populinus (Green algae, maple)
PANUS (LENTINUS)
____conchatus (pink-lavendar)
____neostrigosus (*strigosus*)
PENIOPHORA
____albobadia (Giraffe Spots)
____cinerea (gray cracked crust)
____rufa (red blob)
PHAEOLUS
____schweinitzii (para. pine root)
PHLEBIA (MERULIUS)
____incarnata (See *BYSSOMERULIUS*)
____radiata
____tremellosa
PHELLINUS
____gilvus
____cinereus
____ferruginosus
____ignarius
____pini (See *PORODAEALEA*)
____robiniae/rimosus (on Locust)
PICIPES (POLYPORUS)
____badius
PIPTOPORUS (See *FOMITOPSIS*)
____betulinus
POLYPORUS
____sp.
____arcularius (See *LENTINUS*)
____badius (See *PICIPES*)
____brumalis (See *LENTINUS*)
____elegans (See *CERIOPORUS*)
____radicatus

.....*squamosus* (See CERIOPORUS)

___ *umbellatus*
PORODAEDEALEA (PHELLINUS)

___ *pini*
PORODISCULUS

___ *pendulus*
PORONIDULUS

___ *conchifer*
POSTIA (OLIGOPORUS)

___ *caesia* (Blue cheese)

___ *fragilis*
PSEUDONINOTUS (INONOTUS)

___ *dryadeus*
PSEUDOMERULIUS (RE: BOLETALES)

___ *aureus*
___ *curtisii*

PYCNOPOREUS

___ *cinnabarinus*
RHODOFOMES (FOMITOPSIS)

___ *cajanderi*
SPONGIOPELLIS

___ *pachydon* (h., wt cp, 'teeth')

STEREUM (Re: Russula)

___ *sp.*
___ *complicatum*

___ *hirsutum*
___ *ochracea*

___ *ostrea*
___ *striatum*

TERANA
___ *caerulea* (blue velvet)

TRAMETES

.....*conchifer* (See PORONIDULUS)

___ *gibbosa* (elegans)

___ *hirsuta*
___ *ochracea*

___ *pubescens*
___ *versicolor complex*

TRICHAPTUM

___ *abietinum*
___ *biforme*

TYROMYCES

.....*caesioides* (See POSTIA)

___ *chioneus*
XYLOBOLUS

___ *frustulatus* (grey ceramic)

PUFFBALLS & Other GASTROMYCETES

ASTRAEUS (Earthstar)

___ *hygrometricus*

CALOSTOMA (RE: Boletales)

___ *cinnabarina*
___ *lutescens*

CALVATIA (RE: Agaricaceae)

___ *craniformis*
___ *cyathiformis* (violet base)

___ *gigantea*
GEASTRUM (Earthstar)

___ *saccatum*
___ *triplex*

LYCOPERDON (RE: Agaricaceae)

___ *curtisii*
___ *echinatum* (whit bcmg brwn, leaving scars)

___ *marginatum* (peels)

___ *perlatum* (on ground)

___ *pyriforme* (on wood)

PHALLOGASTER

___ *saccatus* (pink)

PISOLITHUS (Re: Boletales)

___ *arhizus* (tinctorus)

SCLERODERMA (Re: Boletales)

___ *cepa*
___ *citrinum*

STINKHORNS

DICTYOPHORA (PHALLUS) (Stinkhorn)

___ *duplicata* (veil)

MUTINUS (Stinkhorn)

___ *caninus*
___ *elegans*

___ *ravenelii*
PHALLUS (Stinkhorn)

___ *duplicatus* (veil)

___ *impudicus*
___ *ravenelii*

___ *rubicundus*
PSEUDOCOLUS (Stinkhorn)

___ *fusiformis*

TOOTHED FUNGI

CLIMACODON

___ *pulcherrimus*
___ *septentrionalis*

HERICIUM (Re: Russulas)

___ *americanum*
___ *coralloides* (ramosus)

___ *erinaceus*
HYDNELLUM engulf ebris

___ *sp.*
___ *aurantiacum* (orange stem)

___ *caeruleum* (blue margin edge)

___ *concrescens* (zoned, whit edge, fused caps & stems)

___ *cristatum* (hairy brwn, pl mrgn)

___ *ferrugineum* (conifers)

___ *peckii* (red drops)

___ *spongiosipes* (oaks) velvety brown, short sponge ft

HYDNUM (Re: Chanterelles)

___ *repandum*
___ *umbilicatum*

PHELLODON

___ *confluens*
SARCODON

___ *imbricatus*
___ *scabrosus*

___ *underwoodii*
STECCHERINUM

___ *ochraceum* (toothed)

ASCOMYCETES

ALEURIA

___ *aurantia* (orange cup)

ANNULOHYPOXYLON

___ *multiforme*
APIOSPORINA

___ *morbosa*
ARACHNOPEZIZA

___ *aurelia* (orange on leaves)

ASCOCORYNE (purple cups)

___ *cylichnium*
___ *sarcoides*

BISPEORELLA

___ *citrina* (yellow cup, hrdwd)

BULGARIA

___ *inquinans* (black drop)

CAMAROPS

___ *petersii* (Black dog nose)

CHLORENCOELIA

___ *versiformis*
CHLOROCIBORIA

___ *aeruginascens*
CHLOROSPENIUM

___ *chlora*
CORDYCEPS

___ *militaris*
CUDONIA

___ *lutea* (VIBRISSIA)

DALDINIA

___ *childiae*
DIATRYPE

___ *stigma*
___ *virescens* (green thru brk)

GALIELLA

___ *rufa* (mustard)

GEOGLOSSUM (Asco)

___ *fallax* (black)

GYROMITRA

___ *korfii*
HELMINTHOSPAERIA

___ *clavarium* (on C. cinerea)

HELVELLA (cups)

___ *acetabulum*
___ *crispa*

___ *lactea*
___ *macropus*

___ *queletii*
HUMARIA (cup)

___ *hemisphaerica*
HYMENOSCYPHUS

___ *frutigenus* (in nut shells)

HYPOCREA

___ *armeniacus*
___ *citrina* (on Tyromyces chioneus)

___ *gelatinosa*
___ *sulphurea* (on Exidia glandulosa)

HYPOMYCES

___ *armeniacus* (orange)

___ *aurantius* (on Tyrom. chioneus)

___ *completus* (on Suillus pictus)

___ *chrysospermus* (wt-yll on bol)

___ *hyalinus* (pink on Amat rubes.)

___ *lactiflorum* (on R. brevipes)

___ *lateritius* (white on Lactarius)

___ *leoticola* (on Leotia lubrica)

___ *luteovirens* (green on Russula)

___ *microspermus* (on boletes)

___ *rosellus* (brt pink on polypores)

HYPOXYLON

___ *cohaerens* (on beech)

___ *fragiforme* (rust-red balls)

___ *multiforme* (on birch, alnus, hzi)

KRETZSCHMARIA (Ustulina)

___ *deusta*
LACHNUM

___ *virgineum* (white)

LEOTIA

___ *atrovirens*
___ *lubrica* (yellow)

___ *viscosa* (green cap)

LOPHODERMIMUM

___ *pinastri* (on pine needles)

MICROGLOSSUM (Asco clubs)

___ *olivaceum* (olive)

___ *rufum* (yellow)

MITRULA

___ *elegans*
MOLLISIA

___ *cinerea*
MORCHELLA

___ *lutea* (elata)

___ *diminutiva* (tulip morel)

___ *esculentoides* (esculenta)

___ *punctipes* (semilibera)

MYCOGONE

___ *rosea*
NECTRIA

___ *cinnabarina*
NEOLECTA (terrestrial Asco)

___ *irregularis* (yellow)

OTIDEA (Yellow split cups)

___ *leporina*
___ *onotica*

PACHYELLA (cups)

___ *clepeata*
PEZIZA (cups)

___ *sp.*
___ *phylogena* (badioconfusa)

___ *repanda*
PHAEOCALICIUM

___ *polyporeum* (on Trichaptum biforme)

RHYTISMA (on maple leaf)

___ *americanum*
ROSELLINIA

___ *corticium*
SARCOSCYPHA red cup

___ *occidentalis*
SCUTELLINIA 'eyelash cup'

___ *erinaceus* (yellow)

___ *scutellata* (red)

SPATHULARIOPSIS

___ *velutipes*
TARZETTA

___ *cupularis*
TOLPOCLADIUM

(Cordyceps)

___ *capitatum*
___ *ophioglossoides*

TRICHOGLOSSUM (Ascomycete)

___ *sp.*

___ *hirsutum*
XYLARIA

___ *longipes*
___ *polymorpha*

SLIME MOLDS

ARCYRIA

___ *cinerea* (grey)

___ *denudata* (red)

___ *incarnata* (red)

BREFELDIA

___ *maxima* (off-white)

CERATIOMYXA

___ *fruticulosa*
___ *poroides*

ENTERIDIUM

___ *lycoperdon*
FULIGO

___ *candida*
___ *septica*

HEMITRICHIA

___ *calyculata* (red)

___ *serpula* ('pretzel')

LEOCARPUS

___ *fragilis*
LINBLADIA

___ *tubulina*
LYCOGALA

___ *epidendrum*
___ *terrestre* (red)

METATRICHIA

___ *vesparium*
PHYSARUM

___ *polycephalum*
STEMONITIS

___ *sp.*
___ *axifera*

___ *splendens*
TRICHIA

___ *decipiens* (red)

TUBIFERA

___ *ferruginosa*
TRICHIA

___ *decipiens* (red)

TUBIFERA

___ *ferruginosa*

NOTES:

- Names in parentheses refer to synonymous or formerly used names.
- Names with 'Re:' mean the fungus is 'related to' an order or family that looks different than the fungus. For example, *Phylloporus rhodoxanthus* is gilled, but is closely related to Boletes rather than other cap, stem and gilled mushrooms.
- c. = associated with conifers
- h. = associated with hardwoods

Dianna Smith
www.fungikingdom.net
dianna.smith@comcast.net
Updated 09-14-18